

Brightspace Release Conditions



Brightspace release conditions allow you to personalise a learner's journey by releasing content, quizzes, assignments, discussions, and even announcements once a specific condition has been fulfilled. You can also use release conditions to customise Intelligent Agents or to release Brightspace Awards.

Follow the steps below to learn how to set up Release Conditions and how to attach them.

In this guide, you will find information on the following topics:

- [Release condition types](#)
- [Brightspace release conditions and content folders/items](#)
- [Brightspace release conditions and quizzes \(as well as surveys and self-assessments\)](#)
- [Brightspace release conditions and assignments](#)
- [Brightspace release conditions and discussions](#)
- [Brightspace release conditions and announcements](#)
- [Brightspace release conditions and awards](#)
- [Brightspace release condition type details](#)



Release condition types ([Brightspace](#))

Before we get into how to create release conditions, below is a list of release conditions you can attach in various places in Brightspace.

Awards

Condition Type	Description
Awards	The user must have earned a specific award in order to fulfil the release condition

Checklist

Condition Type	Description
Completed checklist	The user must complete all items on the selected checklist in order to fulfil the release condition
Incomplete checklist	The user must not complete one or more items on the selected checklist in order to fulfil the release condition
Completed checklist item	The user must complete a specific item on the selected checklist in order to fulfil the release condition
Incomplete checklist item	The user must not complete the specific item on the selected checklist to fulfil the release condition

Classlist

Condition Type	Description
Group enrolment	The user must be enrolled in a specific group in order to fulfil the release condition
Org unit enrolment	The user must be enrolled in a specific org unit in order to fulfil the release condition
Section enrolment	The user must be enrolled in a specific section in order to fulfil the release condition
Role in current org unit	The user must either: <ul style="list-style-type: none">• be enrolled as a specific role• not be enrolled as a specific role in order to fulfil the release condition
Date of enrolment in current org unit	The user must be enrolled in the current org unit for a specified number of days in order to fulfil the release condition

Competencies

Condition Type	Description
Competency achieved	The user must complete a specific competency in order to fulfil the release condition
Competency not yet achieved	The user must not complete a specific competency in order to fulfil the release condition
Learning objective achieved	The user must complete a specific learning objective in order to fulfil the release condition
Learning objective not yet achieved	The user must not complete a specific learning objective in order to fulfil the release conditions
Score on associated rubric	The user must achieve a specified Score and Threshold level on a learning objective, based on an associated rubric, in order to fulfil the release condition

Content

Condition Type	Description
Visited content topic	The user must visit a specific content topic in order to fulfil the release condition
Not visited content topic	The user must not visit the specified content topic in order to fulfil the release condition.
Visited all content topics	The user must visit all content topics in the course offering in order to fulfil the release condition
Completed content topic	<p>The user completes a content topic. The method of completing the topic depends on the type, such as viewing a file or submitting an assignment.</p> <p>This release condition ignores exemptions, meaning that if the learner completes the activity, the release condition can be met, regardless of the activity being required, optional, or exempt.</p>

Discussions

Condition Type	Description
Posts authored in topic	The user must author a specified number and type of posts in a designated module or topic in order to fulfil the release condition
No posts authored in topic	The user must not author any number or type of post in a designated module or topic in order to fulfil the release condition
Score on associated rubric	The user must achieve a specified Score and Threshold level on a discussion module or topic, based on an associated rubric, in order to fulfil the release condition

Assignments

Condition Type	Description
Submission to Assignment	The user must make a submission to a specified assignment in order to fulfil the release condition
No submission to Assignment	The user must not make a submission to a specified assignment in order to fulfil the release condition
Receive feedback on Assignment submission	The user must receive feedback on a submission to a specified assignment in order to fulfil the release condition
Score on associated rubric	The user must achieve a specified Score and Threshold level on an assignment submission, based on an associated rubric, in order to fulfil the release condition

Grades

Condition Type	Description
Grade value on a grade item	The user must achieve a specified grade value on a grade item in order to fulfil the release condition
No grade received	The user must not receive a specified grade value on a grade item in order to fulfil the release condition
Released final grade score	<p>The user must have their final grade score set to released or set to released plus the final grade meeting a defined threshold, in order to fulfil the release condition.</p> <p>Note: This release condition is evaluated beginning from the first time the grade is released and cannot be revoked once it is fulfilled. Therefore, if your grade book is set up to release final grades throughout a course, and/or drop ungraded items, the release condition may be fulfilled sooner than expected (i.e. before the end of the course). D2L recommends using this release condition in combination with other release conditions or intelligent agents to ensure that the event or content triggered by the released final grade score occurs at the anticipated time.</p>
Score on associated rubric	The user must achieve a specified Score and Threshold level on a grade item, based on an associated rubric, in order to fulfil the release condition

Quizzes

Condition Type	Description
Score on a quiz	The user must achieve a specified score on a quiz in order to fulfil the release condition
Completed quiz attempt	The user must achieve a specified number of attempts of a quiz in order to fulfil the release condition
Score on selected questions	When a quiz has a learning objective with associated questions and an assessment method attached to it, the user must achieve a specified grade value on the learning objective in order to fulfil the release condition
Score on associated rubric	The user must achieve a specified Score and Threshold level on a quiz, based on an associated rubric, in order to fulfil the release condition
No completed quiz attempt	The user must not complete any attempt on a quiz in order to fulfil the release condition

Surveys

Condition Type	Description
Completed survey attempt	The user must achieve a specified number of attempts of a survey in order to fulfil the release condition
No completed survey attempt	The user must not complete any attempt on a survey in order to fulfil the release condition

Brightspace release conditions and content folders/items

When you create a new content folder/subfolder (Brightspace terminology: module/submodule) or add content topics to folders/subfolders, you can attach release conditions to them to control when they are released to students.

To attach a release condition to a content folder/subfolder, navigate to the folder in the content area and click on the 'Add dates and restrictions...' area (Figure 1).




Figure 1

You now have the option between adding a start/due/end date or attaching a release condition. You could either opt to create a new release condition (1) or you could browse for existing release conditions (2). (Once you have created a release condition within a module/unit/course you can reuse it as often as you want.) (Figure 2)




Figure 2




Figure 3

When you click on 'Create', a pop-up window will open for you. You can now create your release condition. Start by selecting the condition type (1). For more information on what each condition type means, see the [table](#) above. Next, you will need to determine the condition details (2). (Figure 3)

Depending on what type of condition you are applying, you need to determine different sets of condition details.

Once you have determined your release condition type and condition, click on the blue 'Create' button on the bottom. (Figure 4) You will now see that the release condition has been added to the content folder (1).

You will also see a drop-down menu. If you have attached multiple release conditions, you will now be able to choose whether a student will need to meet all conditions for the content to be released or whether meeting any one of the possible conditions you have attached will suffice for the content to be released (2). (Figure 5)

Figure 4

Figure 5

Figure 6

Once you are happy with your release condition(s), click on the blue 'Update' button below the release conditions. (Figure 6)

Your release conditions have now been saved. (Figure 7)

Figure 7

Figure 8

As mentioned before, you can also attach release conditions to a single content topic instead of the whole content folder/subfolder. To do so, click on the drop-down menu next to the content item, and select 'Edit Properties In-place'. (Figure 8)

Just as before with the content folder/subfolder, you will now be able to add dates and restrictions. (Figure 9)

Figure 9

Follow the instructions above to create a new release condition for the content item. Alternatively, you could also opt to browse your existing conditions.




Figure 10

If you choose this option, you will get to a pop-up window labelled 'Attach an Existing Condition'. In this window, you have the option to filter the existing release conditions by the tool that they are connected to. (Figure 10)

Alternatively, you can also browse the list of your existing conditions below this drop-down menu and select the one you would like to attach to your assignment (1). Once you have found the release condition(s) you would like to attach, click on the blue 'Attach' button at the bottom of the pop-up window (2). (Figure 11)

Once you have done this, complete the release condition set-up by selecting whether all or any release condition must be fulfilled if you have attached more than one, and finally save your condition by clicking on the blue 'Update' button (see Figures 5 and 6). You will now be able to see that your release condition has been attached to the content item.




Figure 11

Brightspace release conditions and quizzes (as well as surveys and self-assessments)

As mentioned before, you can also attach release conditions to a quiz. To do this, navigate to the restrictions tab when you are setting up/editing your quiz. (Figure 12)




Figure 12

Scroll down within this tab past the due/start/end dates section until you get to Release Conditions. As before in the content area, you now have the choice to attach an existing release condition (1) or to create and attach a new condition (2). (Figure 13)




Figure 13

Once you have either attached your existing condition or created a new condition, you will see them attached to the quiz (1), and if you have multiple conditions attached, you will also have the chance to determine if all conditions or any one condition must be fulfilled by students to gain access to the quiz (2). (Figure 14)




Figure 14




Figure 15

Once you are happy with your release condition(s), continue editing the quiz, and then save and close it. When you are back in the quiz tool, you will now see a new symbol behind the quiz you just created/edited, indicating that a release condition has been attached to this quiz. (Figure 15)

If you want more information on how to set up a quiz, explore our resource on the [Brightspace Quiz tool](#). If you would like to attach release conditions to surveys or self-assessments, go to these tools and follow the steps outlined above.

Brightspace release conditions and assignments

As mentioned before, you can also attach release conditions to assignments. To do this, navigate to the restrictions tab when you are setting up/editing your assignment. (Figure 16)



Figure 16



Figure 17

Once you have either attached your existing condition or created a new condition, you will see them attached to the assignment, and if you have multiple conditions attached, you will also have the chance to determine if all conditions or any one condition must be fulfilled by students to gain access to the assignment. (Figure 18)




Figure 18




Figure 19

Once you are happy with your release condition(s), continue editing the assignment, and then save and close it.

When you are back in the assignment tool, you will now see a new symbol behind the assignment you just created/edited, indicating that a release condition has been attached to this assignment. (Figure 19)

If you want more information on how to set up an assignment, explore our resource on [Assignments, Feedback and Grades in Brightspace](#).

Brightspace release conditions and discussions

You can also attach release conditions to discussions. To do this, navigate to the restrictions tab when you are setting up/editing a discussion forum. (Figure 20)



Figure 20




Figure 21

Scroll down within this tab to Release Conditions. As before, you now have the choice to attach an existing release condition or to create and attach a new condition. (Figure 21)

Once you have either attached your existing condition or created a new condition, you will see them attached to the discussion forum, and if you have multiple conditions attached, you will also have the chance to determine if all conditions or any one condition must be fulfilled by students to gain access to the discussion forum. (Figure 22)




Figure 22




Figure 23

Once you are happy with your release condition(s), continue editing the discussion forum, and then save and close it.

When you are back in the discussion tool, you will now see that a release condition has been attached to this forum. (Figure 23)

If you have multiple discussion topics within one forum but would only like to attach release conditions to one topic and not the whole forum/all topics, you can of course do so. Simply edit the discussion topic and follow the steps above to attach a release condition to the topic.

Brightspace release conditions and announcements

When you create new announcements or edit existing announcements, you can also attach release conditions. To do so, scroll down in the 'New Announcement' or 'Edit announcement' area. You will find the option to attach release conditions at the bottom of the page. As before, you can either attach a previously created release condition or create a new release condition. (Figure 24)



Figure 24

Just as before in quizzes and assignments, you will also see an indication that a release condition has been attached. (Figure 25)




Figure 25

Brightspace release conditions and awards

Another tool that works with release conditions is the awards tool. When you create new awards, you can either release them manually or based on a pre-configured release condition.

To start, navigate to the awards tool by clicking on the 'Course Tools' drop-down menu and then 'Awards'. (Figure 26)




Figure 26




Figure 27

Once you are in the Awards tool, navigate to the 'Course Awards' tab and click on the blue 'Add Award to Course' button. (Figure 27)

This will take you to a page where you can either add an existing award to your module/unit/course, or you can create a new award. Click on the grey 'Create button'. (Figure 28)




Figure 28

You will now be able to create your award. You will have to give the award a name, can add a description and you will be asked to choose the award type (badge or certificate). You will also be able to configure the award availability, expiry date as well as choose an image to display with the award. When you are done, save the award.




Figure 29

You will now see your award in the list of Course Awards. To attach a release condition, click on the blue 'Edit Properties link'. (Figure 29)

Next, click on 'Create' under Release Conditions. (Figure 30)

This will open the well-known pop-up window which will allow you to customise the Condition Type and Condition Details.

(Figure 31) Simply customise your release condition(s) and add it/them to the award.

Once you have added your release condition(s), you will see it/them listed underneath the 'Create' button. If you have added more than one release condition, you will again need to determine if students will need to meet all conditions or any one condition in order to receive the reward. When you are done editing your release conditions, click on the blue 'Save' button at the bottom. (Figure 32)




Figure 32




Figure 30




Figure 31

Once you have saved your release condition(s), you will see the number of conditions you have attached to the award. (Figure 33)




Figure 33

Brightspace release condition type details

Awards – Award earned

If you would like to release something based on an award a student earned, select 'Award Earned' as your Condition Type (1). Next, select the award you would like to use for this release condition (2). (Figure 34)

The dialog box is titled "Create a Release Condition" with a close button (X) in the top right. Below the title is the instruction "Release this item when the following condition is met:". The "Condition Type" dropdown menu is highlighted with an orange box and labeled with a circled "1"; it currently shows "Award Earned". Below this, the "Condition Details" section contains an "Award" dropdown menu, also highlighted with an orange box and labeled with a circled "2"; it shows "-- Select Award --". At the bottom are "Create" and "Cancel" buttons.

Figure 34

Checklist – Completed/Incomplete checklist

If you would like to release something based on a completed or incomplete checklist, select 'Completed checklist' or 'Incomplete checklist' as your Condition Type (1). Next, select the checklist you would like to use for this release condition (2). (Figure 35, Completed checklist)

The dialog box is titled "Create a Release Condition" with a close button (X) in the top right. Below the title is the instruction "Release this item when the following condition is met:". The "Condition Type" dropdown menu is highlighted with an orange box and labeled with a circled "1"; it currently shows "Completed checklist". Below this, the "Condition Details" section contains a "Checklist" dropdown menu, also highlighted with an orange box and labeled with a circled "2"; it shows "-- Select Checklist --". At the bottom are "Create" and "Cancel" buttons.

Figure 35, Completed checklist

Checklist – Completed/Incomplete checklist item

If you would like to release something based on a completed or incomplete checklist item, i.e., a specific checkbox or answer to a question, select 'Completed checklist item' or 'Incomplete checklist item' as your Condition Type (1). Next, select a checklist (2). The last step you will need to complete is to select the checklist item you would like to use for this release condition (3). (Figure 36, Completed checklist item)

The dialog box is titled "Create a Release Condition" with a close button (X) in the top right. Below the title is the instruction "Release this item when the following condition is met:". The "Condition Type" dropdown menu is highlighted with an orange box and labeled with a circled "1"; it currently shows "Completed checklist item". Below this, the "Condition Details" section contains two dropdown menus. The first, "Checklist", is highlighted with an orange box and labeled with a circled "2"; it shows "Sample checklist". The second, "Checklist Item", is also highlighted with an orange box and labeled with a circled "3"; it shows "-- Select Checklist --". At the bottom are "Create" and "Cancel" buttons.

Figure 36, Completed checklist item

Classlist – Group Enrolment

If you would like to release something to a specific group only, select 'Group Enrolment' as your Condition Type (1). Next, select the group you would like to use for this release condition (2). (Figure 37)

The screenshot shows a dialog box titled "Create a Release Condition". Below the title is the instruction "Release this item when the following condition is met:". There are two main sections: "Condition Type" and "Condition Details". In the "Condition Type" section, a dropdown menu is set to "Group Enrolment", which is highlighted with an orange box and a circled number 1. In the "Condition Details" section, a dropdown menu is set to "-- Select Group --", highlighted with an orange box and a circled number 2. At the bottom, there are "Create" and "Cancel" buttons.

Figure 37

Classlist – Role in current org unit

If you would like to release something only to people enrolled on a specific role in the current org unit, i.e., you module/unit/course, select 'Role in current org unit' as your Condition Type (1). Next, select the criteria ('Enrolled as' or 'Not enrolled as') (2), and finally the role you would like to use for this release condition (3). (Figure 38)

The screenshot shows a dialog box titled "Create a Release Condition". Below the title is the instruction "Release this item when the following condition is met:". There are two main sections: "Condition Type" and "Condition Details". In the "Condition Type" section, a dropdown menu is set to "Role in current org unit", highlighted with an orange box and a circled number 1. In the "Condition Details" section, there are two sub-sections: "Criteria:" and "Role". The "Criteria:" dropdown is set to "Enrolled as", highlighted with an orange box and a circled number 2. The "Role" dropdown is set to "-- Select Role --", highlighted with an orange box and a circled number 3. At the bottom, there are "Create" and "Cancel" buttons.

Figure 38

Classlist – Date of Enrolment in Current Org Unit

If you would like to release something only to people enrolled on your module/unit/course after a certain date, select 'Date of Enrolment in Current Org Unit' as your Condition Type (1). The Organisation type and Org Unit (your module/unit/course) will be pre-populated for you by Brightspace. You will only need to enter the number of days that have passed since the enrolment to determine which users this release condition will be triggered by (2). (Figure 39)

The screenshot shows a dialog box titled "Create a Release Condition". Below the title is the instruction "Release this item when the following condition is met:". There are two main sections: "Condition Type" and "Condition Details". In the "Condition Type" section, a dropdown menu is set to "Date of Enrolment in Current Org Unit", highlighted with an orange box and a circled number 1. In the "Condition Details" section, there are several pre-populated fields: "Organisation Type", "Course Offering", "Org Unit" (set to "Carolyn Radtke sandbox 2019/20"), and "Days Since Enrolment". The "Days Since Enrolment" field is highlighted with an orange box and a circled number 2. At the bottom, there are "Create" and "Cancel" buttons.

Figure 39

Note:

For Classlist, you will find further possibilities for release conditions, namely as 'Org Unit Enrolment' and 'Section Enrolment' which are not available to you due to the way UHI has set up Brightspace.

Competencies – Competency (not yet) achieved

If you would like to release something only to people who have achieved or have not yet achieved a certain competency, select 'Competency achieved' or 'Competency not yet achieved' as your Condition Type (1). Next, select the competency you would like to use for this release condition (2). (Figure 40)

The screenshot shows a dialog box titled 'Create a Release Condition'. Below the title is the instruction 'Release this item when the following condition is met:'. There are two main sections: 'Condition Type' and 'Condition Details'. In the 'Condition Type' section, a dropdown menu is set to 'Competency achieved', which is highlighted with an orange box and a circled '1'. In the 'Condition Details' section, a dropdown menu is set to '-- Select Competency --', which is highlighted with an orange box and a circled '2'. At the bottom, there are 'Create' and 'Cancel' buttons.

Figure 40, Competency achieved

Competencies – Learning objective (not yet) achieved

If you would like to release something only to people who have achieved or have not yet achieved a certain learning objective, select 'Learning objective achieved' or 'Learning objective not yet achieved' as your Condition Type (1). Next, select the learning objective you would like to use for this release condition (2). (Figure 41)

The screenshot shows a dialog box titled 'Create a Release Condition'. Below the title is the instruction 'Release this item when the following condition is met:'. There are two main sections: 'Condition Type' and 'Condition Details'. In the 'Condition Type' section, a dropdown menu is set to 'Learning objective achieved', which is highlighted with an orange box and a circled '1'. In the 'Condition Details' section, a dropdown menu is set to '-- Select Learning Objective --', which is highlighted with an orange box and a circled '2'. At the bottom, there are 'Create' and 'Cancel' buttons.

Figure 41, Learning objective achieved

Competencies – Score on associated rubric

If you would like to release something only to people who have achieved a certain score on a rubric associated with a learning objective, select 'Score on associated rubric' as your Condition Type (1). Next, select the learning objective (2), and then the rubric you would like to use for this release condition (3). (Figure 42) Once you have selected the rubric, you will be able to determine the score/level students will need to achieve on the rubric in order to trigger this release condition.

The screenshot shows a dialog box titled 'Create a Release Condition'. Below the title is the instruction 'Release this item when the following condition is met:'. There are two main sections: 'Condition Type' and 'Condition Details'. In the 'Condition Type' section, a dropdown menu is set to 'Score on associated rubric', which is highlighted with an orange box and a circled '1'. In the 'Condition Details' section, there are two dropdown menus. The first is 'Learning Objective' set to '-- Select Learning Objective --', highlighted with an orange box and a circled '2'. The second is 'Rubric' set to '-- Select Rubric --', highlighted with an orange box and a circled '3'. At the bottom, there are 'Create' and 'Cancel' buttons.

Figure 42

Content – Visited/Not visited content topic

If you would like to release something only to people who have visited or not visited a certain content topic, select 'Visited content topic' or 'Not visited content topic' as your Condition Type (1). Next, select the content topic you would like to use for this release condition (2). (Figure 43)


The screenshot shows a dialog box titled "Create a Release Condition" with a close button (X) in the top right. Below the title is the instruction "Release this item when the following condition is met:". There are two main sections: "Condition Type" and "Condition Details". In the "Condition Type" section, a dropdown menu is set to "Visited content topic", which is highlighted by an orange box and a blue circle with the number 1. In the "Condition Details" section, there is a "Topic" field with a dropdown menu showing "-- Select Topic --", highlighted by an orange box and a blue circle with the number 2. At the bottom, there are "Create" and "Cancel" buttons.

Figure 43, Visited content topic

Content – Visited all content topics

If you would like to release something only to people who have visited all content topics in your module/unit/course, select 'Visited all content topics'. You will not need to make any other selections. This release condition will be triggered automatically when a student has visited all content topics. (Figure 44)


The screenshot shows a dialog box titled "Create a Release Condition" with a close button (X) in the top right. Below the title is the instruction "Release this item when the following condition is met:". In the "Condition Type" section, a dropdown menu is set to "Visited all content topics", highlighted by an orange box. In the "Condition Details" section, there is a text description: "This condition is satisfied when all content topics have been visited". At the bottom, there are "Create" and "Cancel" buttons.

Figure 44

Content – (Not) Completed content topic

If you would like to release something only to people who have (not) completed a certain content topic in your module/unit/course, select 'Completed content topic' or 'Not completed content topic' (1). Next, select the content topic you would like to use for this release condition (2). (Figure 45)

Visiting a content topic vs Completing a content topic

There is a difference between visiting a content topic and completing it. If you, for instance, include a self-assessment as a content topic, students can click on the self-assessment link which would mean that they have visited the topic. In order to complete this content topic, however, they will have to complete the self-assessment itself.


The screenshot shows a dialog box titled "Create a Release Condition" with a close button (X) in the top right. Below the title is the instruction "Release this item when the following condition is met:". There are two main sections: "Condition Type" and "Condition Details". In the "Condition Type" section, a dropdown menu is set to "Completed content topic", highlighted by an orange box and a blue circle with the number 1. In the "Condition Details" section, there is a "Topic" field with a dropdown menu showing "-- Select Topic --", highlighted by an orange box and a blue circle with the number 2. At the bottom, there are "Create" and "Cancel" buttons.

Figure 45, Completed content topic

Discussions – (No) Posts authored in topic

Note:

Posts in a discussion topic can either be threads the student created or replies a student added to someone else's thread or their own.

If you would like to release something only to people who have (not) authored posts in a certain discussion topic in your module/unit/course, select 'Posts authored in topic' or 'No posts authored in topic' (1). Next, select the discussion topic you would like to use for this release condition (2). After you have selected the discussion topic, you will need to determine the number of posts and the type of post students must (not) have authored so the release condition is triggered (3). You have the choice between '(No) Threads' or '(No) Threads and Replies'. (Figure 46)

The screenshot shows the 'Create a Release Condition' dialog. The 'Condition Type' dropdown is set to 'Posts authored in topic' (1). The 'Discussions' dropdown is set to 'Test - Regular discussion forum' (2). The 'Number of Posts' field is empty (3). The 'Type' dropdown is set to 'New Threads Only' (3). The 'Create' button is visible at the bottom.

Figure 46

Discussions – Score on an associated rubric

If you would like to release something only to people who have achieved a certain score on a rubric associated with a discussion topic, select 'Score on associated rubric' as your Condition Type (1). Next, select the discussion topic (2), and then the rubric you would like to use for this release condition (3). Once you have selected the rubric, you will be able to determine the score/level students will need to achieve on the rubric in order to trigger this release condition (4). (Figure 47)

The screenshot shows the 'Create a Release Condition' dialog. The 'Condition Type' dropdown is set to 'Score on associated rubric' (1). The 'Discussions' dropdown is set to 'Test - Regular discussion forum' (2). The 'Rubric' dropdown is set to 'Sample Rubric' (3). The 'Score' dropdown is set to 'Select Criterion' (4). The 'Threshold' dropdown is set to 'Select Level' (4). The 'Create' button is visible at the bottom.

Figure 47

Assignments – (No) Submission to folder

If you would like to release something only to people who have (not) made a submission to a certain assignment folder, select 'Submission to folder' or 'No submission to folder' (1). Next, select the assignment folder you would like to use for this release condition (2). (Figure 48)

The screenshot shows the 'Create a Release Condition' dialog. The 'Condition Type' dropdown is set to 'Submission to folder' (1). The 'Assignment Submission Folder' dropdown is set to 'Select Assignment Submission Folder' (2). The 'Create' button is visible at the bottom.

Figure 48, Submission to folder

Assignments – Receive feedback on submission

If you would like to release something only to people who have received feedback for an assignment submission, select 'Receive feedback on submission' (1). Next, select the assignment folder you would like to use for this release condition (2). (Figure 49)

The dialog box is titled 'Create a Release Condition' and contains the text 'Release this item when the following condition is met:'. It has two main sections: 'Condition Type' and 'Condition Details'. In the 'Condition Type' section, a dropdown menu is set to 'Receive feedback on submission', which is highlighted with an orange box and a circled '1'. In the 'Condition Details' section, a dropdown menu is set to '-- Select Assignment Submission Folder --', highlighted with an orange box and a circled '2'. At the bottom are 'Create' and 'Cancel' buttons.

Figure 49

Assignments – Score on associated rubric

If you would like to release something only to people who have achieved a certain score on a rubric associated with an assignment, select 'Score on associated rubric' as your Condition Type (1). Next, select the assignment folder (2), and then the rubric you would like to use for this release condition (3). Once you have selected the rubric, you will be able to determine the score/level students will need to achieve on the rubric in order to trigger this release condition (4). (Figure 50)

The dialog box is titled 'Create a Release Condition' and contains the text 'Release this item when the following condition is met:'. It has two main sections: 'Condition Type' and 'Condition Details'. In the 'Condition Type' section, a dropdown menu is set to 'Score on associated rubric', highlighted with an orange box and a circled '1'. In the 'Condition Details' section, there are three sub-sections: 'Assignment Submission Folder' with a dropdown set to 'Loch Ness Assignment' (circled '2'), 'Rubric' with a dropdown set to 'Sample Rubric' (circled '3'), and 'Score' with a dropdown set to '-- Select Criterion --' (circled '4'). Below these is a 'Threshold' section with a dropdown set to '-- Select Level --'. At the bottom are 'Create' and 'Cancel' buttons.

Figure 50

Grades – Grade value on a grade item

If you would like to release something to people based on a mark that they have achieved in you module/unit/course, select 'Grade value on a grade item' as your Condition Type (1). Next, select the grade item you would like to use for this release condition (2). Once you have selected the grade item, you will have to set your criteria and the percentage grade you would like to trigger this release condition (3). (Figure 51)

The dialog box is titled 'Create a Release Condition' and contains the text 'Release this item when the following condition is met:'. It has two main sections: 'Condition Type' and 'Condition Details'. In the 'Condition Type' section, a dropdown menu is set to 'Grade value on a grade item', highlighted with an orange box and a circled '1'. In the 'Condition Details' section, there are two sub-sections: 'Grade Item' with a dropdown set to 'Summative Assessment' (circled '2'), and 'Criteria:' with a dropdown set to '<=' (circled '3'). Below these is a 'Grade' section with a text input field and a '%' symbol. At the bottom are 'Create' and 'Cancel' buttons.

Figure 51

Grades – Score on associated rubric

If you would like to release something only to people who have achieved a certain score on a rubric associated with a grade item, select 'Score on associated rubric' as your Condition Type (1). Next, select the grade item (2), and then the rubric you would like to use for this release condition (3). (Figure 52) Once you have selected the rubric, you will be able to determine the score/level students will need to achieve on the rubric in order to trigger this release condition.

The screenshot shows the 'Create a Release Condition' dialog box. At the top, it says 'Release this item when the following condition is met:'. Below this, the 'Condition Type' dropdown is set to 'Score on associated rubric' (labeled 1). Under 'Condition Details', the 'Grade Item' dropdown is set to '-- Select Grade Item --' (labeled 2), and the 'Rubric' dropdown is set to '-- Select Rubric --' (labeled 3). At the bottom are 'Create' and 'Cancel' buttons.

Figure 52

Grades – No grade received

If you would like to release something only to people who have not received a mark on a certain grade item yet, select 'No grade received' as your Condition Type (1). Next, select the grade item you would like to use for this release condition (2). (Figure 53)

The screenshot shows the 'Create a Release Condition' dialog box. At the top, it says 'Release this item when the following condition is met:'. Below this, the 'Condition Type' dropdown is set to 'No grade received' (labeled 1). Under 'Condition Details', the 'Grade Item' dropdown is set to '-- Select Grade Item --' (labeled 2). At the bottom are 'Create' and 'Cancel' buttons.

Figure 53

Grades – Released final grade score

If you would like to release something based on the release of the final grade, select 'Released final grade score' as your Condition Type (1). Next, you have the choice between 'Final grade is released' or 'Final grade is released and score satisfies criteria' (2). If you go for option 1, 'Final grade is released', you won't have to customise anything else – the release condition will simply be triggered as soon as the final grade is released to students. If you go for option 2, 'Final grade is released and score satisfies criteria', you can determine the criteria and the percentage grade value of the released final grade which you would like to trigger this release condition (3). (Figure 54)

The screenshot shows the 'Create a Release Condition' dialog box. At the top, it says 'Release this item when the following condition is met:'. Below this, the 'Condition Type' dropdown is set to 'Released final grade score' (labeled 1). Under 'Condition Details', there are two radio button options: 'Final grade is released' and 'Final grade is released and score satisfies criteria' (labeled 2). The second option is selected. Below these options, there is a 'Criteria' dropdown set to '<=' (labeled 3) and a 'Grade' input field followed by a '%' symbol. At the bottom are 'Create' and 'Cancel' buttons.

Figure 54

Quizzes – Score on a quiz

If you would like to release something based on the score students achieved on a quiz, select 'Score on a quiz' as your Condition Type (1). Next, select the quiz you would like to use for this release condition (2). Once you have selected the quiz, you can determine the criteria and the percentage grade value a student must have achieved to trigger this release condition (3). (Figure 55)

The screenshot shows the 'Create a Release Condition' dialog box. The 'Condition Type' dropdown is set to 'Score on a quiz' (1). The 'Quiz' dropdown is set to 'Loch Ness Quiz' (2). The 'Criteria' dropdown is set to '<=' (3). The 'Grade' field is empty, followed by a '%' symbol. There are 'Create' and 'Cancel' buttons at the bottom.

Figure 55

Quizzes – (No) Completed quiz attempt

If you would like to release something based on whether students have completed or not completed a quiz attempt, select 'Completed quiz attempt' or 'No completed quiz attempt' as your Condition Type (1). Next, select the quiz you would like to use for this release condition (2). Once you have selected your quiz, you will be able to determine how many attempts students should have completed to trigger this release condition. (Figure 56)

The screenshot shows the 'Create a Release Condition' dialog box. The 'Condition Type' dropdown is set to 'Completed quiz attempt' (1). The 'Quiz' dropdown is set to '-- Select Quiz --' (2). There are 'Create' and 'Cancel' buttons at the bottom.

Figure 56, Completed quiz attempt

Quizzes – Score on selected questions

Note:

If you would like to use this type of release condition, you will need to associate the quiz and particular quiz questions with the competency tool and learning objectives.

If you would like to release something based on the score students achieved on (an) individual question(s) within a quiz, select 'Score on selected questions' as your Condition Type (1). Next, select the quiz as well as the associated learning objective you would like to use for this release condition (2). Now, you can determine the criteria and the percentage grade value a student must have achieved to trigger this release condition (3). (Figure 57)

The screenshot shows the 'Create a Release Condition' dialog box. The 'Condition Type' dropdown is set to 'Score on selected questions' (1). The 'Quiz' dropdown is set to 'Loch Ness Quiz' (2). The 'Learning Objective' dropdown is set to 'Evidence' (2). The 'Criteria' dropdown is set to '<=' (3). The 'Grade' field is empty, followed by a '%' symbol. There are 'Create' and 'Cancel' buttons at the bottom.

Figure 57

Quizzes – Score on associated rubric

Note:

Posts in a discussion topic can either be threads the student created or replies a student added to someone else's thread or their own.

Surveys – (No) Completed survey attempt

Note:

Release conditions for surveys will only work if the survey is not anonymised.

If you would like to release something based on whether students have completed or not completed a survey attempt, select 'Completed survey attempt' or 'No completed survey attempt' as your Condition Type (1). Next, select the survey you would like to use for this release condition (2). Once you have selected your survey, you will be able to determine how many attempts students should have completed to trigger this release condition (3). (Figure 58)




Figure 58, Completed survey attempt